

Style	69-260/5 ATF	 
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination	
Weight	350 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates	EN 11612	
Availability	Stock item	

Style	69-260/5 ATW	 
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination soft	
Weight	350 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates	EN 11612	
Availability	Stock item	

Style	69-260/5 SII-000	
Material	70% Preox / 30% Para-aramide	
Coating	One side silicone transparent	
Weight	320 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Green melange	
Certificates		
Availability	On order	


Style	69-260/5 SI1-001	
Material	70% Preox / 30% Para-aramide	
Coating	One side silicone transparent	
Weight	350 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Green melange	
Certificates		
Availability	On order	

Style	69-260/5 SI1-002	
Material	70% Preox / 30% Para-aramide	
Coating	One side silicone transparent	
Weight	380 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Green melange	
Certificates		
Availability	On order	

Style	69-260/5 SI1-791	
Material	70% Preox / 30% Para-aramide	
Coating	One side silicone grey	
Weight	350 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Grey / green melange	
Certificates		
Availability	On order	

Style	69-400/5 ATF	
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination	
Weight	490 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates	EN 11612	
Availability	Stock item	


Style	69-400/0 ATW + 69-400/5 ATW	
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination soft	
Weight	490 g/m ²	
Width	100cm + 150cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates	EN 11612	
Availability	Stock item	

Style	69-400/5 AL-PET	
Material	70% Preox / 30% Para-aramide	
Coating	aluminized PET foil	
Weight	490 g/m ²	
Width	150cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates		
Availability	On order	

Style	69-600/0 ATF	
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination	
Weight	670 g/m ²	
Width	100cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates		
Availability	On order	

Style	69-600/0 ATW	
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination soft	
Weight	690 g/m ²	
Width	100cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates		
Availability	On order	

Style	69-652/0 ATF	
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination	
Weight	730 g/m ²	
Width	100cm	
Structure	Panama	
Colour	Alu / green melange	
Certificates	EN 11612	
Availability	Stock item	

Style	69-652/0 ATF-CL	
Material	70% Preox / 30% Para-aramide	
Coating	Aluminium lamination + cut-lock	
Weight	730 g/m ²	
Width	100cm	
Structure	Panama	
Colour	Alu / green melange	
Certificates	EN 11612	
Availability	Stock item	

Style	69-371/5 AL-PET	
Material	50% Preox / 50% Para-aramide	
Coating	aluminized PET foil	
Weight	460 g/m ²	
Width	150cm	
Structure	Herringbone	
Colour	Alu / green melange	
Certificates		
Availability	On order	

Style	69-481/0 ATF	
Material	50% Preox / 50% Para-aramide	
Coating	Aluminium lamination	
Weight	570 g/m ²	
Width	100cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates		
Availability	Stock item	

Style	69-481/0 AL-PET	
Material	50% Preox / 50% Para-aramide	
Coating	aluminized PET foil	
Weight	570 g/m ²	
Width	100cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates		
Availability	Stock item	

Style	69-601/0 ATF	
Material	50% Preox / 50% Para-aramide	
Coating	Aluminium lamination	
Weight	670 g/m ²	
Width	100cm	
Structure	Twill 2/2	
Colour	Alu / green melange	
Certificates		
Availability	Stock item	